



7. The total revenue in rupees received from the sale of  $x$  units of a product is  $R(x) = 3x^2 + 36x + 5$ , then the marginal revenue when  $x = 15$  is ..... Rupees  
 (A)116 (B)96 (C)90 (D)126
8. The absolute maximum value of the function  $f$  given by  $f(x) = x^3$ ,  $x \in [-2, 2]$  is =.....  
 (A)-2 (B)2 (C)0 (D)8

9.  $\int \frac{2-3\sin x}{\cos^2 x} dx =$   
 (A)  $2 \tan x - 3 \sec x + c$  (B)  $2 \tan x + 3 \sec x + c$   
 (C)  $2 \tan x - 2 \sec x + c$  (D)  $2 \sec x - 3 \tan x + c$

10.  $\int_1^{\sqrt{3}} \left( \frac{1}{1+x^2} \right) dx =$   
 (A)  $\frac{\pi}{3}$  (B)  $\frac{2\pi}{3}$  (C)  $\frac{\pi}{6}$  (D)  $\frac{\pi}{12}$

11. **Statement 1:** If either  $|\vec{a}| = 0$  or  $|\vec{b}| = 0$  then  $\vec{a} \cdot \vec{b} = 0$

**Statement 2:** If  $\vec{a} \times \vec{b} = \vec{0}$ , then  $\vec{a} \perp$  to  $\vec{b}$ .

- (A) Statement 1 is true and Statement 2 is false  
 (B) Statement 1 is false and Statement 2 is true  
 (C) Statement 1 is true and Statement 2 is true  
 (D) Statement 1 is false and Statement 2 is false

12. If  $|\vec{a} \cdot \vec{b}| = -|\vec{a}||\vec{b}|$  then the angle between  $\vec{a}$  &  $\vec{b}$  is

- (A)  $\frac{\pi}{4}$  (B)  $\frac{\pi}{2}$  (C)  $\pi$  (D)  $\frac{\pi}{3}$

13. The direction ratios of  $x$ -axis.

- (A) 0, k, 0 (B) 0, 0, k (C) k, 0, 0 (D) k, k, k

14. If  $P(A) = \frac{1}{2}$  and  $P(B) = 0$  then find  $P(B|A)$  is

- (A)  $\frac{1}{2}$  (B) 0 (C) 1 (D) not defined

15. Two balls are drawn at random with replacement from a box containing 10 black and 8 red balls, then the probability that both are red

- (A)  $\frac{25}{81}$  (B)  $\frac{16}{81}$  (C)  $\frac{20}{81}$  (D)  $\frac{28}{153}$

**II. Fill in the blanks by choosing the appropriate answer from those given in the**

**bracket** (0, -1, 2, 3, 5, 10)

**5 x 1= 5**

16.  $\frac{d}{dx}(3x^x)$  at  $x = 1$  is = \_\_\_\_

17. Minimum value of  $f(x) = |x + 2| - 1$  is \_\_\_\_

18. Find the number of arbitrary constants in the particular solution of a differential equation of third order is \_\_\_\_

19. The scalar product of  $\lambda i + j - 3k$  and  $3i - 4j + 7k$  is -10, then the value of  $\lambda$  is \_\_\_\_

20. If  $P(A) = \frac{3}{5}$ ,  $P(B) = \frac{5}{10}$  and A and B are independent events then  $P(A \cap B) = \frac{3}{k}$ , then  $k =$  \_\_\_\_

**PART - B****III. Answer Any Six Questions****6 x 2 = 12**

21. Prove that  $\sin^{-1}\left(2x\sqrt{1-x^2}\right) = 2\sin^{-1}x$ ,  $\frac{-1}{\sqrt{2}} \leq x \leq \frac{1}{\sqrt{2}}$
22. Find the equation of the line joining the points (3, 1) and (9, 3) using determinants
23. Find  $\frac{dy}{dx}$ , if  $y + \sin y = \cos x$
24. Find the rate of change of the area of a circle with respect to its radius  $r$  at  $r = 6$  cm.
25. Find  $\int \sin 2x \cos 3x dx$
26. Find the general solution of the differential equation  $\frac{dy}{dx} = \frac{x+1}{2-y}$ , ( $y \neq 2$ )
27. Find the projection of the vector  $\vec{a} = 2\vec{i} + 3\vec{j} + 2\vec{k}$  on the vector  $\vec{b} = \vec{i} + 2\vec{j} + \vec{k}$ .
28. Find the vector and Cartesian equation of the line passing through the point (5, 2, -4) and parallel to the vector  $3\vec{i} + 2\vec{j} - 8\vec{k}$
29. A die is tossed thrice. Find the probability of getting an odd number at least once

**PART - C****IV. Answer Any Six Questions****6 x 3 = 18**

30. Show that the relation  $R$  on the set  $A = \{x \in \mathbb{Z} : 0 \leq x \leq 12\}$ , given by  
 $R = \{(a, b) : |a - b| \text{ is a multiple of } 4\}$  is an equivalence relation
31. Prove that  $\cos^{-1} \frac{4}{5} + \cos^{-1} \frac{12}{13} = \cos^{-1} \frac{33}{65}$
32. Prove that for any square matrix  $A$  with real number entries,  $A + A'$  is a symmetric matrix and  $A - A'$  is a skew symmetric matrix.
33. Find  $\frac{dy}{dx}$ , if  $x = a(\theta + \sin \theta)$ ,  $y = a(1 - \cos \theta)$ .
34. Find the intervals in which the function  $f$  given by  $f(x) = 2x^3 - 3x^2 - 36x + 7$  is strictly decreasing
35. Find  $\int x \tan^{-1} x dx$
36. Find the unit vector perpendicular to each of the vectors  $(\vec{a} + \vec{b})$  &  $(\vec{a} - \vec{b})$ , where  
 $\vec{a} = 3\vec{i} + 2\vec{j} + 2\vec{k}$  &  $\vec{b} = \vec{i} + 2\vec{j} - 2\vec{k}$ .
37. Find the distance between the lines  
 $\vec{r} = \vec{i} + 2\vec{j} - 4\vec{k} + \lambda(2\vec{i} + 3\vec{j} + 6\vec{k})$  &  $\vec{r} = 3\vec{i} + 3\vec{j} - 5\vec{k} + \mu(2\vec{i} + 3\vec{j} + 6\vec{k})$
38. Of the students in a college, it is known that 60% reside in hostel and 40% are day scholars (not residing in hostel). Previous year results report that 30% of all students who reside in hostel attain A grade and 20% of day scholar attain A grade in their annual examination. At the end of the year, one student is chosen at random from the college and he has an A grade, what is the probability that the student is a hostile?

**PART - D****V. Answer Any Four Questions****4 x 5 = 20**

39. Consider  $f : \mathbb{R} \rightarrow \mathbb{R}$  given by  $f(x) = 4x + 3$ . Show that  $f$  is invertible. Find the inverse.

40. If  $A = \begin{bmatrix} 1 & 2 & -3 \\ 5 & 0 & 2 \\ 1 & -1 & 1 \end{bmatrix}$ ,  $B = \begin{bmatrix} 3 & -1 & 2 \\ 4 & 2 & 5 \\ 2 & 0 & 3 \end{bmatrix}$  and  $C = \begin{bmatrix} 4 & 1 & 2 \\ 0 & 3 & 2 \\ 1 & -2 & 3 \end{bmatrix}$

Then compute  $(A + B)$  and  $(B - C)$ . Also, verify that  $A + (B - C) = (A + B) - C$

41. Solve the system of equations  $x + y + z = 6$ ,  $y + 3z = 11$  and  $x - 2y + z = 0$  by matrix method.

42. If  $y = \sin^{-1} x$ , then prove that  $(1 - x^2) \frac{d^2 y}{dx^2} - x \frac{dy}{dx} = 0$ .

43. Find the integral of  $\frac{1}{x^2 - a^2}$  with respect to  $x$  and evaluate  $\int \frac{dx}{x^2 - 16}$

44. Using the method of integration, find the area enclosed by the circle  $x^2 + y^2 = a^2$

45. Find the general solution of the differential equation  $\frac{dy}{dx} + y \cot x = 4x \operatorname{cosec} x (x \neq 0)$ .

**PART - E****VI. Answer The Following Questions**

46. Prove that  $\int_{-a}^a f(x) dx = \begin{cases} 2 \int_0^a f(x) dx & \text{if } f(x) \text{ is even} \\ 0 & \text{if } f(x) \text{ is odd} \end{cases}$  hence evaluate  $\int_{-\pi/2}^{\pi/2} (x^3 + x \cos x + \tan^5 x) dx$ . **6M**

**OR**

Solve the following graphically, Minimize  $Z = 200x + 500y$ , subject to the constraints  $x + 2y \geq 10$ ,  $3x + 4y \leq 24$ ,  $x \geq 0$ ,  $y \geq 0$ .

47. If  $A = \begin{bmatrix} 2 & 3 \\ 1 & 2 \end{bmatrix}$  satisfies the equation  $A^2 - 4A + I = O$ , then find the inverse of  $A$  using this

equation, where  $I$  is the identity matrix of order 2 and  $O$  is the zero matrix of order 2 **4M**

**OR**

Determine the value of  $k$ , if  $f(x) = \begin{cases} \frac{k \cos x}{\pi - 2x}, & \text{if } x \neq \frac{\pi}{2} \\ 3, & \text{if } x = \frac{\pi}{2} \end{cases}$  is continuous at  $x = \frac{\pi}{2}$ .